

28/02/2007	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH <sub>3</sub> -N (mg/L)		NO <sub>3</sub> -N (mg/L)		NO <sub>2</sub> -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.5	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KLW	12.9	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_A	7.8	surface	-	-	0.04	0.04	0.01	0.01	<0.01	<0.01	0.06	0.06	<0.01	<0.01	1.70	1.40		
		middle	-	-	0.04	0.04	0.01	0.01	<0.01	<0.01	0.06	0.06	<0.01	<0.01	1.50	1.40		
		bottom	-	-	0.04	0.04	0.01	0.01	<0.01	<0.01	0.06	0.06	<0.01	<0.01	1.30	1.20		
M_Marsh	8.2	surface	-	-	0.05	0.04	0.02	0.01	<0.01	<0.01	0.08	0.06	<0.01	<0.01	1.30	0.90		
		middle	-	-	0.05	0.11	0.01	0.01	<0.01	<0.01	0.07	0.13	<0.01	<0.01	1.10	0.90		
		bottom	-	-	0.06	0.06	0.01	0.05	<0.01	<0.01	0.08	0.12	<0.01	<0.01	1.00	0.80		
TTC	9.8	surface	-	-	0.04	0.03	0.01	<0.01	<0.01	<0.01	0.06	0.05	<0.01	<0.01	1.20	1.40		
		middle	-	-	0.04	0.04	0.01	<0.01	<0.01	<0.01	0.06	0.06	<0.01	<0.01	1.20	1.60		
		bottom	-	-	0.04	0.03	0.01	0.01	<0.01	<0.01	0.06	0.05	<0.01	<0.01	1.70	1.40		
M_BP	8.4	surface	-	-	0.04	0.03	0.01	0.01	<0.01	<0.01	0.06	0.05	<0.01	<0.01	1.90	1.90		
		middle	-	-	0.03	0.04	0.01	0.01	<0.01	<0.01	0.05	0.06	<0.01	<0.01	2.30	2.00		
		bottom	-	-	0.04	0.04	0.02	0.01	<0.01	<0.01	0.07	0.06	<0.01	<0.01	1.50	1.10		
M_Coral	8.1	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_B	16.9	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KS	12.8	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fresh water station			Suspended solid (mg/L)		NH <sub>3</sub> -N (mg/L)		NO <sub>3</sub> -N (mg/L)		NO <sub>2</sub> -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
FU_A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FD_A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FU_B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FD_B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FU_C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FD_C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
F_Inland_M	-	-	-	-	0.04	0.26	<0.01	0.31	<0.01	0.5								