

30/03/2007	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH ₃ -N (mg/L)		NO ₃ -N (mg/L)		NO ₂ -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.7	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KLW	13.5	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_A	8.1	surface	-	-	0.06	0.04	<0.01	<0.01	<0.01	<0.01	0.08	0.06	<0.01	<0.01	<0.5	<0.5		
		middle	-	-	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	0.60	0.50		
		bottom	-	-	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.50	<0.5		
M_Marsh	8.5	surface	-	-	<0.01	0.03	0.03	0.02	<0.01	<0.01	0.05	0.06	<0.01	<0.01	<0.5	<0.5		
		middle	-	-	0.02	0.02	<0.01	<0.01	<0.01	<0.01	0.04	0.04	<0.01	<0.01	<0.5	<0.5		
		bottom	-	-	<0.01	0.02	0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.5	<0.5		
TTC	9.7	surface	-	-	<0.01	<0.01	0.02	0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	0.80	0.80		
		middle	-	-	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.50	0.50		
		bottom	-	-	0.06	0.05	0.01	0.01	<0.01	<0.01	0.08	0.07	0.02	0.02	<0.5	<0.5		
M_BP	8.6	surface	-	-	<0.01	0.02	0.03	0.02	<0.01	<0.01	0.05	0.05	<0.01	<0.01	0.50	0.50		
		middle	-	-	<0.01	0.03	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.5	<0.5		
		bottom	-	-	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.5	<0.5		
M_Coral	8.7	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_B	17.1	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KS	12.8	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fresh water station			Suspended solid (mg/L)		NH3-N (mg/L)		NO3-N (mg/L)		NO2-N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
FU A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FU B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FU C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F Inland M	-	-	-	-	0.8	-	1.3	-	0.4	-	2.6	-	<0.01	-	0.8	-	-	-