

12/04/2007	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH ₃ -N (mg/L)		NO ₃ -N (mg/L)		NO ₂ -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.3	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KLW	13.3	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_A	8.2	surface	-	-	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	6.40	5.60		
		middle	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	5.50	5.20		
		bottom	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	7.40	5.80		
M_Marsh	8.0	surface	-	-	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	3.30	2.40		
		middle	-	-	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.40	2.30		
		bottom	-	-	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	2.50	2.20		
TTC	9.8	surface	-	-	0.01	0.02	0.01	0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	3.20	2.60		
		middle	-	-	0.02	0.02	0.01	0.01	<0.01	<0.01	0.04	0.04	<0.01	<0.01	2.40	3.00		
		bottom	-	-	0.02	0.02	0.01	0.01	<0.01	<0.01	0.04	0.04	<0.01	<0.01	3.20	2.70		
M_BP	8.0	surface	-	-	0.03	0.04	0.02	0.02	<0.01	<0.01	0.06	0.07	<0.01	<0.01	3.60	2.60		
		middle	-	-	0.03	0.03	0.01	0.01	<0.01	<0.01	0.05	0.05	<0.01	<0.01	3.60	3.00		
		bottom	-	-	0.03	0.04	0.02	0.01	<0.01	<0.01	0.06	0.06	<0.01	<0.01	3.60	2.90		
M_Coral	8.6	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_B	16.7	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KS	12.2	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fresh water station			Suspended solid (mg/L)		NH3-N (mg/L)		NO3-N (mg/L)		NO2-N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
FU A	-		-		-		-		-		-		-		-			
FD A	-		-		-		-		-		-		-		-			
FU B	-		-		-		-		-		-		-		-			
FD B	-		-		-		-		-		-		-		-			
FU C	-		-		-		-		-		-		-		-			
FD C	-		-		-		-		-		-		-		-			
F Inland M	-		-		0.0		1.4		0.0		1.4		<0.01		0.8			