

18/04/2007	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH <sub>3</sub> -N (mg/L)		NO <sub>3</sub> -N (mg/L)		NO <sub>2</sub> -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.4	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KLW	12.9	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_A	8.3	surface	-	-	0.12	0.10	<0.01	<0.01	<0.01	<0.01	0.14	0.12	<0.01	<0.01	1.20	1.10	-	-
		middle	-	-	0.11	0.07	<0.01	<0.01	<0.01	<0.01	0.13	0.09	<0.01	<0.01	0.80	0.90	-	-
		bottom	-	-	0.08	0.06	<0.01	<0.01	<0.01	<0.01	0.10	0.08	<0.01	<0.01	1.10	1.00	-	-
M_Marsh	7.8	surface	-	-	0.02	0.02	<0.01	<0.01	<0.01	<0.01	0.04	0.04	<0.01	<0.01	1.30	0.80	-	-
		middle	-	-	0.02	0.02	<0.01	<0.01	<0.01	<0.01	0.04	0.04	<0.01	<0.01	1.20	1.10	-	-
		bottom	-	-	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	1.10	1.10	-	-
TTC	9.7	surface	-	-	0.10	0.08	0.02	0.02	<0.01	<0.01	0.13	0.11	<0.01	<0.01	2.10	2.30	-	-
		middle	-	-	0.04	0.04	0.01	<0.01	<0.01	<0.01	0.06	0.06	<0.01	<0.01	1.90	1.90	-	-
		bottom	-	-	0.02	0.02	<0.01	<0.01	<0.01	<0.01	0.04	0.04	<0.01	<0.01	2.20	1.80	-	-
M_BP	8.3	surface	-	-	0.05	0.03	<0.01	<0.01	<0.01	<0.01	0.07	0.05	<0.01	<0.01	1.40	1.70	-	-
		middle	-	-	0.03	0.02	<0.01	<0.01	<0.01	<0.01	0.05	0.04	<0.01	<0.01	1.50	1.50	-	-
		bottom	-	-	0.03	0.03	<0.01	<0.01	<0.01	<0.01	0.05	0.05	<0.01	<0.01	1.60	1.60	-	-
M_Coral	8.6	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_B	16.9	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KS	12.5	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fresh water station			Suspended solid (mg/L)		NH3-N (mg/L)		NO3-N (mg/L)		NO2-N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
FU A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FU B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FU C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F Inland M	-	-	-	-	<0.01	-	0.6	-	<0.01	-	0.6	-	<0.01	-	<0.5	-	-	-