

04/04/2007	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH <sub>3</sub> -N (mg/L)		NO <sub>3</sub> -N (mg/L)		NO <sub>2</sub> -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.4	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KLW	12.8	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_A	8.3	surface	-	-	0.05	0.02	<0.01	<0.01	<0.01	<0.01	0.07	0.04	<0.01	<0.01	1.10	0.80		
		middle	-	-	0.05	0.04	<0.01	<0.01	<0.01	<0.01	0.07	0.06	<0.01	<0.01	1.20	0.90		
		bottom	-	-	0.04	0.04	<0.01	<0.01	<0.01	<0.01	0.06	0.06	<0.01	<0.01	1.40	0.90		
M_Marsh	8.1	surface	-	-	0.10	0.10	<0.01	<0.01	<0.01	<0.01	0.12	0.12	0.01	0.01	1.50	1.50		
		middle	-	-	0.07	0.05	<0.01	<0.01	<0.01	<0.01	0.09	0.07	0.01	<0.01	1.40	1.00		
		bottom	-	-	0.04	0.03	<0.01	<0.01	<0.01	<0.01	0.06	0.05	<0.01	<0.01	1.00	1.00		
TTC	9.8	surface	-	-	0.04	0.04	<0.01	<0.01	<0.01	<0.01	0.06	0.06	<0.01	<0.01	1.80	1.60		
		middle	-	-	0.03	0.03	<0.01	<0.01	<0.01	<0.01	0.05	0.05	<0.01	<0.01	1.50	1.80		
		bottom	-	-	0.05	0.04	<0.01	<0.01	<0.01	<0.01	0.07	0.06	0.01	<0.01	0.90	1.10		
M_BP	8.4	surface	-	-	0.02	0.03	<0.01	<0.01	<0.01	<0.01	0.04	0.05	<0.01	<0.01	1.40	1.20		
		middle	-	-	0.04	0.02	<0.01	<0.01	<0.01	<0.01	0.06	0.04	<0.01	<0.01	1.50	1.20		
		bottom	-	-	0.02	0.03	<0.01	<0.01	<0.01	<0.01	0.04	0.05	<0.01	<0.01	1.80	1.00		
M_Coral	8.4	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M_B	16.9	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
KS	12.4	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Fresh water station			Suspended solid (mg/L)		NH <sub>3</sub> -N (mg/L)		NO <sub>3</sub> -N (mg/L)		NO <sub>2</sub> -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
FU A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FD A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FU B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FD B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FU C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FD C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
F Inland M	-	-	-	-	0.1	0.9	0.0	1.0	<0.01	1.0								