

11/05/2007	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH ₃ -N (mg/L)		NO ₃ -N (mg/L)		NO ₂ -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.7	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KLW	13.5	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_A	8.9	surface	-	-	0.06	0.03	<0.01	<0.01	<0.01	<0.01	0.08	0.05	<0.01	<0.01	1.7	1.8	-	-
		middle	-	-	0.05	0.03	<0.01	<0.01	<0.01	<0.01	0.07	0.05	<0.01	<0.01	2.1	1.9	-	-
		bottom	-	-	0.02	0.04	<0.01	<0.01	<0.01	<0.01	0.04	0.06	<0.01	<0.01	1.5	1.6	-	-
M_Marsh	8.4	surface	-	-	0.05	0.03	<0.01	<0.01	<0.01	<0.01	0.07	0.05	<0.01	<0.01	1.0	1.0	-	-
		middle	-	-	0.03	0.03	<0.01	<0.01	<0.01	<0.01	0.05	0.05	<0.01	<0.01	1.0	1.0	-	-
		bottom	-	-	0.03	0.03	<0.01	<0.01	<0.01	<0.01	0.05	0.05	<0.01	<0.01	1.1	1.0	-	-
TTC	9.7	surface	-	-	0.06	0.05	<0.01	<0.01	<0.01	<0.01	0.08	0.07	<0.01	<0.01	1.1	1.1	-	-
		middle	-	-	0.04	0.03	<0.01	<0.01	<0.01	<0.01	0.06	0.05	<0.01	<0.01	1.2	1.2	-	-
		bottom	-	-	0.04	0.05	<0.01	<0.01	<0.01	<0.01	0.06	0.07	<0.01	<0.01	1.1	1.2	-	-
M_BP	8.8	surface	-	-	0.03	0.03	<0.01	<0.01	<0.01	<0.01	0.05	0.05	<0.01	<0.01	0.9	1.3	-	-
		middle	-	-	0.02	0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	1.1	1.2	-	-
		bottom	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	1.2	1.1	-	-
M_Coral	8.8	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_B	17.1	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KS	12.5	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fresh water station			Suspended solid (mg/L)		NH3-N (mg/L)		NO3-N (mg/L)		NO2-N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
FU A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FU B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FU C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F Inland M	-	-	-	-	<0.01	-	1.09	-	<0.01	-	1.11	-	<0.01	-	0.7	-	-	-