

30/07/2007	Water depth (m)	Sampling depth (m)	Temp (°C)		Salinity (ppt)		DO (mg/L)		pH		Turbidity (NTU)		SS (mg/L)	
			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
Marine Station	5.6	surface	28.7	28.9	27.9	28.7	5.5	5.3	8.2	8.3	1.7	1.6	6.0	3.0
		bottom	28.6	28.9	28.0	28.8	5.3	5.4	8.1	8.4	1.3	2.1	3.0	3.0
KLW	12.7	surface	28.5	28.9	28.2	30.3	5.3	5.7	8.1	8.3	2.2	1.5	3.0	2.0
		middle	28.5	28.9	28.2	28.7	5.6	5.7	8.0	8.3	1.3	2.1	2.0	<2
		bottom	28.5	28.9	28.2	28.7	5.5	5.5	8.0	8.4	1.6	1.2	<2	2.0
M_A	8.3	surface	28.9	29.3	26.8	27.9	5.5	5.5	8.1	8.4	1.6	1.8	<2	2.0
		middle	28.9	29.3	26.8	27.9	5.7	5.5	8.1	8.4	1.3	1.2	3.0	4.0
		bottom	28.9	29.3	26.8	27.9	5.5	5.4	8.1	8.4	1.5	2.2	4.0	3.0
M_Marsh	8.9	surface	28.3	29.5	27.5	29.0	6.0	5.7	8.1	8.4	2.1	1.4	<2	<2
		middle	28.3	28.9	27.5	29.0	6.0	5.6	8.1	8.3	1.2	2.2	5.0	4.0
		bottom	28.3	28.9	27.5	29.0	5.5	5.6	8.1	8.4	1.6	2.3	2.0	2.0
TTC	9.5	surface	28.4	29.1	27.9	30.1	5.7	5.5	8.0	8.4	1.3	2.5	4.0	4.0
		middle	28.4	29.1	27.9	30.0	5.5	5.9	8.1	8.3	1.5	1.3	2.0	4.0
		bottom	28.4	29.1	27.9	30.1	5.6	5.8	8.0	8.3	1.8	1.1	7.0	<2
M_BP	9.7	surface	29.0	29.7	27.4	28.9	5.7	5.6	8.1	8.4	2.0	1.1	5.0	2.0
		middle	29.0	29.7	27.4	28.9	5.5	5.8	8.2	8.4	2.3	1.5	2.0	4.0
		bottom	29.0	29.7	27.4	28.9	5.8	5.4	8.0	8.4	1.3	1.7	6.0	3.0
M_Coral	8.3	surface	28.5	29.9	28.3	30.5	5.7	6.1	8.1	8.4	1.6	2.2	2.0	5.0
		middle	28.5	29.9	28.3	30.5	5.9	5.6	8.0	8.3	1.3	2.5	3.0	2.0
		bottom	28.5	29.8	28.3	30.4	5.7	5.7	8.0	8.3	1.4	1.3	<2	<2
M_B	16.8	surface	28.3	29.5	28.6	30.7	5.7	5.7	8.0	8.4	1.1	1.3	3.0	3.0
		middle	28.3	29.5	28.5	30.7	5.6	5.5	8.1	8.4	1.3	1.1	2.0	3.0
		bottom	28.3	29.5	28.4	30.7	5.9	5.6	8.1	8.4	1.1	1.6	<2	5.0
KS	13.1	surface	28.7	29.9	28.2	30.2	5.6	5.6	8.1	8.4	1.5	1.3	2.0	3.0
		middle	28.7	29.9	28.2	30.1	5.5	5.8	8.1	8.4	1.4	1.1	3.0	5.0
		bottom	28.7	29.9	28.2	30.0	5.8	5.7	8.0	8.4	1.9	2.5	<2	5.0
Fresh water station			Temp (°C)		Salinity (ppt)		DO (mg/L)		pH		Turbidity (NTU)		Suspended solid (mg/L)	
FU A	-		28.7		<0.1		7.8		7.6		1.2		<2	
FD A	-		28.5		<0.1		7.9		7.5		1.0		<2	
FU B	-		27.3		<0.1		8.3		7.2		1.5		<2	
FD B	-		27.0		<0.1		8.3		7.1		6.8		6.0	
FU C	-		27.3		<0.1		8.3		6.7		1.9		<2	
FD C	-		27.0		<0.1		8.5		7.2		2.1		<2	
F Inland M	-		28.3		<0.1		7.7		7.6		2.4		<2	

30/07/2007	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH ₃ -N (mg/L)		NO ₃ -N (mg/L)		NO ₂ -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.6	surface	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KLW	12.7	surface	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	2	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_A	8.3	bottom	<2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		surface	<2	2	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	3.40	2.90		
M_Marsh	8.9	middle	3	4	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	3.50	2.80		
		bottom	4	3	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	3.00	3.00		
TTC	9.5	surface	<2	<2	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	3.00	2.70		
		middle	5	4	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	3.30	2.50		
M_BP	9.7	bottom	2	2	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	2.80	2.50		
		surface	4	4	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	3.70	2.50		
M_Coral	8.3	middle	2	4	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	3.20	2.30		
		bottom	7	<2	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.80	2.50		
M_B	16.8	surface	5	2	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	3.40	2.60		
		middle	2	4	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	3.40	2.70		
KS	13.1	bottom	6	3	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.90	2.70		
		surface	2	5	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.40	2.30		
Fresh water station		Suspended solid (mg/L)	NH3-N (mg/L)		NO3-N (mg/L)		NO2-N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)			
		<2	<2		-		-		-		-		-		-			
FU A	-	<2	<2		-		-		-		-		-		-			
FD A	-	<2	<2		-		-		-		-		-		-			
FU B	-	<2	0.1		0.1		<0.01		0.2		<0.01		<0.5		-			
FD B	-	6	<0.01		0.1		<0.01		0.2		<0.01		0.9		-			
FU C	-	<2	-		-		-		-		-		-		-			
FD C	-	<2	<2		-		-		-		-		-		-			
F Inland M	-	<2	<2		0.0		0.8		0.1		0.9		<0.01		<0.5			