

11/01/2008	Water depth (m)	Sampling depth (m)	Temp (°C)		Salinity (ppt)		DO (mg/L)		pH		Turbidity (NTU)		SS (mg/L)	
			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
Marine Station	5.3	surface	18.2	18.1	31.7	32.5	8.3	8.2	8.1	8.4	2.3	1.3	<2	<2
		bottom	17.9	17.6	31.8	32.5	8.6	8.5	8.2	8.4	1.5	2.0	3.0	7.0
KLW	13.5	surface	18.6	18.6	31.7	32.4	8.1	8.0	8.2	8.4	1.3	1.6	2.0	5.0
		middle	17.5	17.7	31.8	32.5	9.0	8.2	8.2	8.4	2.1	1.8	3.0	2.0
		bottom	17.1	17.2	31.8	32.5	8.1	8.0	8.2	8.4	1.7	1.6	3.0	5.0
M_A	7.2	surface	18.7	18.5	31.8	32.4	7.6	8.4	8.3	8.4	1.0	2.2	<2	<2
		middle	18.5	18.3	31.8	32.4	7.4	8.5	8.3	8.4	2.0	1.5	4.0	4.0
		bottom	17.7	18.1	31.9	32.4	8.0	8.5	8.3	8.4	1.5	1.8	2.0	4.0
M_Marsh	7.4	surface	18.4	18.4	32.0	32.4	8.4	8.3	8.3	8.4	1.4	1.7	<2	3.0
		middle	18.4	18.3	32.0	32.4	8.4	8.3	8.3	8.4	1.9	1.6	4.0	2.0
		bottom	17.5	18.3	32.0	32.4	8.1	8.3	8.3	8.4	3.0	1.3	2.0	3.0
TTC	9.5	surface	18.3	18.4	32.4	32.6	8.6	8.4	8.4	8.4	2.1	1.5	3.0	<2
		middle	18.0	18.3	32.4	32.6	8.9	8.3	8.4	8.4	1.7	1.4	3.0	<2
		bottom	17.2	18.3	32.4	32.6	8.0	8.2	8.4	8.4	1.3	1.2	2.0	<2
M_BP	9.9	surface	18.4	18.4	32.6	32.7	8.4	8.4	8.4	8.4	1.1	1.4	3.0	<2
		middle	18.4	18.2	32.6	32.7	8.4	8.4	8.4	8.4	1.6	1.7	6.0	3.0
		bottom	17.6	17.4	32.6	32.7	8.9	8.1	8.4	8.4	1.1	1.4	4.0	4.0
M_Coral	7.2	surface	18.0	18.1	32.8	32.9	8.8	8.6	8.4	8.5	1.7	1.5	6.0	<2
		middle	17.8	17.6	32.8	32.8	8.9	8.7	8.4	8.5	1.1	1.3	3.0	2.0
		bottom	17.6	17.4	32.8	32.8	8.8	8.7	8.4	8.5	1.3	1.8	4.0	2.0
M_B	17.3	surface	17.4	17.4	32.7	32.9	8.9	8.7	8.4	8.5	1.4	1.8	7.0	6.0
		middle	17.3	17.3	32.7	32.9	8.9	8.7	8.4	8.5	1.7	1.9	5.0	2.0
		bottom	17.2	17.3	32.7	32.9	8.8	8.6	8.4	8.5	1.6	1.4	4.0	6.0
KS	11.6	surface	17.4	17.4	32.8	33.0	8.6	8.6	8.4	8.5	1.1	1.6	4.0	3.0
		middle	17.4	17.3	32.8	33.0	8.8	8.6	8.4	8.5	1.7	1.8	<2	3.0
		bottom	17.2	17.2	32.8	33.0	8.8	8.6	8.4	8.5	1.3	1.4	3.0	4.0
Fresh water station			Temp (°C)		Salinity (ppt)		DO (mg/L)		pH		Turbidity (NTU)		Suspended solid (mg/L)	
FU A	-		14.1		<0.1		14.1		<0.1		10.1		<2	
FD A	-		14.4		<0.1		10.0		7.1		2.0		<2	
FU B	-		14.6		<0.1		14.6		<0.1		9.6		<2	
FD B	-		14.3		<0.1		9.7		7.0		3.0		<2	
FU C	-		14.1		<0.1		14.1		<0.1		9.6		<2	
FD C	-		14.2		<0.1		9.7		7.0		2.3		<2	
F Inland M	-		15.1		0.1		15.1		0.1		9.7		<2	

11/01/2008	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH <sub>3</sub> -N (mg/L)		NO <sub>3</sub> -N (mg/L)		NO <sub>2</sub> -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.3	surface	<2	<2	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	3.0	7.0	-	-	-	-	-	-	-	-	-	-	-	-
KLW	13.5	surface	2.0	5.0	-	-	-	-	-	-	-	-	-	-	-	-
		middle	3.0	2.0	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	3.0	5.0	-	-	-	-	-	-	-	-	-	-	-	-
M_A	7.2	surface	<2	<2	0.11	0.06	<0.01	<0.01	<0.01	<0.01	0.13	0.08	0.01	<0.01	1.80	0.80
		middle	4.0	4.0	0.10	0.05	0.01	<0.01	<0.01	<0.01	0.12	0.07	0.01	<0.01	2.30	1.00
		bottom	2.0	4.0	0.11	0.07	0.01	<0.01	<0.01	<0.01	0.13	0.09	0.01	<0.01	2.40	1.60
M_Marsh	7.4	surface	<2	3.0	0.07	0.08	0.02	0.04	<0.01	<0.01	0.10	0.13	0.01	0.01	2.10	0.50
		middle	4.0	2.0	0.06	0.07	<0.01	0.04	<0.01	<0.01	0.08	0.12	0.01	0.01	2.20	0.50
		bottom	2.0	3.0	0.08	0.08	0.01	0.05	<0.01	<0.01	0.10	0.14	<0.01	0.01	3.00	<0.5
TTC	9.5	surface	3.0	<2	0.07	0.10	<0.01	0.06	<0.01	<0.01	0.09	0.17	0.01	0.02	2.40	0.80
		middle	3.0	<2	0.07	0.08	<0.01	0.06	<0.01	<0.01	0.09	0.15	<0.01	0.02	2.10	<0.5
		bottom	2.0	<2	0.08	0.08	<0.01	0.06	<0.01	<0.01	0.10	0.15	0.01	0.01	2.50	0.80
M_BP	9.9	surface	3.0	<2	0.47	0.08	0.02	0.04	<0.01	<0.01	0.50	0.13	0.04	0.01	<0.5	0.80
		middle	6.0	3.0	0.49	0.10	0.02	0.04	<0.01	<0.01	0.52	0.15	0.04	0.02	<0.5	0.80
		bottom	4.0	4.0	0.47	0.09	0.01	0.04	<0.01	<0.01	0.49	0.14	0.04	0.02	<0.5	1.20
M_Coral	7.2	surface	6.0	<2	0.24	0.06	0.03	0.02	<0.01	<0.01	0.28	0.09	0.03	<0.01	<0.5	0.80
		middle	3.0	2.0	0.13	0.07	0.04	0.02	<0.01	<0.01	0.18	0.10	0.01	<0.01	<0.5	0.70
		bottom	4.0	2.0	0.58	0.06	0.02	0.02	<0.01	<0.01	0.61	0.09	0.05	<0.01	<0.5	0.90
M_B	17.3	surface	7.0	6.0	0.12	0.06	0.03	0.02	<0.01	<0.01	0.16	0.09	0.02	<0.01	<0.5	0.80
		middle	5.0	2.0	0.16	0.07	0.03	0.02	<0.01	<0.01	0.20	0.10	0.02	0.01	<0.5	0.60
		bottom	4.0	6.0	0.09	0.05	0.03	0.02	<0.01	<0.01	0.13	0.08	0.02	<0.01	<0.5	0.80
KS	11.6	surface	4.0	3.0	0.13	0.08	0.02	0.03	<0.01	<0.01	0.16	0.12	0.02	0.01	<0.5	<0.5
		middle	<2	3.0	0.08	0.27	0.03	0.03	<0.01	<0.01	0.12	0.31	0.01	0.02	<0.5	<0.5
		bottom	3.0	4.0	0.31	0.09	0.03	0.03	<0.01	<0.01	0.35	0.13	0.03	0.01	<0.5	<0.5
Fresh water station			Suspended solid (mg/L)		NH3-N (mg/L)		NO3-N (mg/L)		NO2-N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)	
FU A	-		<2		<0.01		0.1		<0.01		0.1		<0.01		<0.5	
FD A	-		<2		<0.01		0.1		<0.01		0.1		<0.01		<0.5	
FU B	-		<2		<0.01		0.2		<0.01		0.2		<0.01		<0.5	
FD B	-		<2		<0.01		0.2		<0.01		0.2		<0.01		<0.5	
FU C	-		<2		<0.01		0.1		<0.01		0.1		<0.01		<0.5	
FD C	-		<2		<0.01		0.1		<0.01		0.1		<0.01		<0.5	
F Inland M	-		<2		<0.01		0.4		<0.01		0.4		<0.01		0.8	