

23/9/2008	Water depth (m)	Sampling depth (m)	Temp (°C)		Salinity (ppt)		DO (mg/L)		pH		Turbidity (NTU)		SS (mg/L)		
			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	
Marine Station	M_RO1	5.7	surface	26.8	26.6	29.7	31.9	6.5	6.6	8.3	8.4	1.6	1.3	2.0	2.0
			bottom	27.4	26.7	30.0	32.1	6.8	6.7	8.2	8.4	1.5	1.3	6.0	4.0
KLW	KLW	13.4	surface	27.2	26.7	29.8	32.2	6.8	6.7	8.2	8.4	1.9	2.5	7.0	3.0
			middle	27.3	26.7	29.8	32.2	6.3	6.4	8.2	8.4	1.5	1.6	3.0	9.0
			bottom	27.1	26.9	30.1	32.2	6.5	6.4	8.2	8.4	2.9	2.9	9.0	2.0
M_A	M_A	7.7	surface	27.3	26.7	30.2	30.5	6.7	6.8	8.3	8.4	1.7	1.6	5.0	3.0
			middle	27.5	26.6	30.2	32.1	6.7	6.8	8.3	8.4	1.6	1.3	7.0	5.0
			bottom	26.9	26.8	30.3	32.2	6.4	6.2	8.3	8.4	2.2	2.5	5.0	5.0
M_Marsh	M_Marsh	7.8	surface	27.3	26.8	29.1	32.3	6.8	6.4	8.2	8.3	2.8	3.8	3.0	4.0
			middle	27.2	26.9	30.3	32.3	6.6	6.7	8.3	8.4	2.9	2.5	5.0	3.0
			bottom	27.2	27.3	30.3	32.5	6.3	6.1	8.3	8.3	4.1	3.9	3.0	3.0
TTC	TTC	9.6	surface	27.3	27.0	28.6	32.0	6.6	6.8	8.4	8.3	1.6	1.9	3.0	3.0
			middle	26.9	27.2	30.1	32.2	6.8	6.6	8.2	8.3	1.9	2.1	4.0	4.0
			bottom	26.7	27.4	30.5	32.5	6.2	6.3	8.3	8.4	2.1	2.3	5.0	4.0
M_Coral	M_Coral	9.8	surface	27.2	26.9	30.1	32.5	6.8	7.0	8.3	8.4	1.9	2.1	<2	4.0
			middle	27.0	26.9	30.3	32.5	6.8	7.2	8.2	8.4	<1	<1	<2	3.0
			bottom	26.9	26.8	30.3	32.6	6.7	6.8	8.2	8.4	1.2	1.3	2.0	3.0
M_B	M_B	16.5	surface	27.2	26.7	30.0	32.3	6.9	6.9	8.2	8.4	1.3	1.6	2.0	4.0
			middle	26.9	26.8	30.1	32.4	6.9	6.7	8.2	8.4	1.0	1.2	3.0	4.0
			bottom	26.8	26.7	30.3	32.6	6.7	6.8	8.2	8.4	2.0	2.1	3.0	3.0
KS	KS	12.8	surface	27.2	26.6	29.2	32.2	6.8	6.7	8.2	8.4	<1	<1	5.0	4.0
			middle	27.0	26.8	30.3	32.6	6.7	6.7	8.3	8.3	<1	<1	4.0	2.0
			bottom	27.0	26.8	30.3	32.6	6.8	6.6	8.2	8.4	<1	1.3	4.0	2.0
Fresh water station	Conductivity		Temp (°C)		Salinity (ppt)		DO (mg/L)		pH		Turbidity (NTU)		Suspended solid (mg/L)		
F_Filter	-	*	*	*	*	*	*	*	*	*	*	*	*		
Lake 1D	499	24.4		0.1		7.1		7.2		2.7		<2			
FD_A	-	25.0		<0.1		8.4		7.6		2.3		<2			
FD_B	-	25.2		<0.1		8.4		7.6		2.5		4.0			
FD_C	-	25.2		<0.1		8.7		7.3		5.0		4.0			
F_Inland_M	-	25.1		<0.1		8.0		7.6		1.6		3.0			

23/9/2008	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH ₃ -N (mg/L)		NO ₃ -N (mg/L)		NO ₂ -N (mg/L)		TIN (mg/L)		Ortho P (mg/L)		Chlorophyll a (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.7	surface	2.0	2.0	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	6.0	4.0	-	-	-	-	-	-	-	-	-	-	-	-
KLW	13.4	surface	7.0	3.0	-	-	-	-	-	-	-	-	-	-	-	-
		middle	3.0	9.0	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	9.0	2.0	-	-	-	-	-	-	-	-	-	-	-	-
M_A	7.7	surface	5.0	3.0	0.06	<0.01	0.02	0.02	0.01	0.01	0.09	0.04	<0.01	<0.01	0.9	0.9
		middle	7.0	5.0	<0.01	<0.01	0.02	0.02	0.01	0.01	0.04	0.04	<0.01	<0.01	1.0	1.1
		bottom	5.0	5.0	0.04	0.04	0.02	0.02	0.01	0.01	0.07	0.07	<0.01	<0.01	1.1	1.0
M_Marsh	7.8	surface	3.0	4.0	<0.01	0.06	0.02	0.02	0.01	0.01	0.04	0.09	<0.01	<0.01	1.0	1.1
		middle	5.0	3.0	<0.01	0.03	0.02	0.02	0.01	0.01	0.04	0.06	<0.01	<0.01	1.1	1.1
		bottom	3.0	3.0	<0.01	0.06	0.02	0.02	0.01	0.01	0.04	0.09	<0.01	<0.01	1.2	1.1
TTC	9.6	surface	3.0	3.0	<0.01	<0.01	0.02	0.02	0.01	0.01	0.04	0.04	<0.01	<0.01	1.5	1.6
		middle	4.0	4.0	<0.01	<0.01	0.02	0.02	0.01	0.01	0.04	0.04	<0.01	<0.01	1.6	1.6
		bottom	5.0	4.0	<0.01	0.02	0.02	0.02	0.01	0.01	0.04	0.05	<0.01	<0.01	1.4	1.5
M_Coral	9.8	surface	<2	4.0	<0.01	0.02	0.02	0.02	0.01	0.01	0.04	0.05	<0.01	<0.01	1.6	1.3
		middle	<2	3.0	<0.01	0.01	0.02	0.02	0.01	0.01	0.04	0.04	<0.01	<0.01	1.7	1.7
		bottom	2.0	3.0	0.03	<0.01	0.02	0.02	0.01	0.01	0.06	0.04	<0.01	<0.01	1.7	1.3
M_B	16.5	surface	2.0	4.0	<0.01	<0.01	0.02	0.02	0.01	0.01	0.04	0.04	<0.01	<0.01	1.0	0.9
		middle	3.0	4.0	<0.01	<0.01	0.02	0.02	0.01	0.01	0.04	0.04	<0.01	<0.01	1.1	0.9
		bottom	3.0	3.0	<0.01	0.02	0.02	0.03	0.01	<0.01	0.04	0.06	0.01	<0.01	1.6	1.5
KS	12.8	surface	5.0	4.0	<0.01	0.02	0.03	0.03	<0.01	<0.01	0.05	0.06	0.01	<0.01	1.8	1.7
		middle	4.0	2.0	<0.01	<0.01	0.03	0.03	<0.01	<0.01	0.05	0.05	<0.01	<0.01	1.5	1.7
		bottom	4.0	2.0	0.03	<0.01	0.03	0.03	<0.01	<0.01	0.07	0.05	<0.01	<0.01	0.7	1.0
Fresh water station	TKN	TP	Suspended solid (mg/L)		NH3-N (mg/L)		NO3-N (mg/L)		NO2-N (mg/L)		TIN (mg/L)		Ortho P (mg/L)		Chlorophyll a (ug/L)	
F_Filter	-	-		*		*		*		*		*		*		*
Lake 1D	0.2	0.2	<2		<0.01		0.19		0.01		0.21		0.21		0.5	
FD_A	-	-	<2		<0.01		0.14		<0.01		0.16		<0.01		<0.5	
FD_B	-	-	4.0		<0.01		0.48		<0.01		0.50		<0.01		<0.5	
FD_C	-	-	4.0		<0.01		0.15		<0.01		0.17		<0.01		<0.5	
F_Inland_M	-	-	3.0		<0.01		0.16		<0.01		0.18		<0.01		<0.5	

#: Detail information is provided in the respectively EM&A report

* - no water discharge from the headwall of Hole 5 or 6 during sampling